2-7-14

GENERAL AND REVENUE SECRETARIAT.

1907-08
~~191~~ .
(Miscellaneous)

File No. 120

Serial Nos. (Sec II)

Papers Filed.

*Month*_____

SUBJECT.

Miscellaneous Papers in Connection with Water Supply to Kalasa.

PREVIOUS REFERENCES

LATER REFERENCES.

Dairy 23652 42-1-4

Irrig F 120 § 07.08

Miscellaneous Papers in connection
with water supply to Kalaa.

Draft submission note.

The accompanying papers relate to the introduction of water supply to the town of Kalasa in the Mudagere Taluk.

2. Kalasa is a small town with a permanent resident population of only 300 souls but is frequented by a large floating population, mostly of pilgrims to the temple of Sri Kalaseswara Swamy ~~which enjoys a large amount of celebrity~~

3. Scarcity of water, particularly at the time of the Jatra, which attracts a large number of devotees, has always been felt and so long ago as 1897 the question of water supply to this town was brought up for consideration. In view of the religious importance of the place, the Government were prepared to make a substantial contribution of Rs.5000/- from the temple funds and the Public Works Department was desired to investigate the project.

4. A project costing Rs.14,199/- was prepared by the Executive Engineer, Kadur District. provision being made r constructing an anicut across a perennial stream, a filter bed and a storage reservoir. The Chief Engineer also submitted two alternative projects prepared by Mr. V. Rangasamy Iyengar,

one costing Rs.11,887/- following the Executive Engineer's proposal and omiting the reservoir as the water was to be supplied direct from the filter bed and the other costing Rs.12,925/- with an annual maintenance and depreciation charge of Rs.1,150/- for a pumping system.

5. As the project was considered too elaborate for such a small place, the Deputy Commissioner was requested to send up proposals for the construction of a few good wells at convenient centres. The latter was, however, of opinion that these wells were likely to dry up in the hot season when water was most needed and recommended the adoption of the original project of the Executive Engineer omiting the filter bed and distribution pipes and thus further reducing the cost to Rs.6500/-.

4 6. The Executive Engineer ~~to whom the project was once again referred was of~~ Water Supply & Stores. opinion that an open channel for leading water will not be satisfactory as being liable to contamination and be choked up and considered that an up-to-date project for a ~~satisfactory~~ supply was quite necessary. ~~He~~ has ~~accordingly sent up for sanction~~ now submitted a revised project involving an initial outlay of Rs.23,500/-, the annual maintenance charges being estimated at Rs.200/-.

5 7. The First Member who ~~had~~ visited Kalasa and investigated the question on

the spot considers that the project may be approved and carried out at an early date.

8. The subject was considered in Council on the 11th instant and again at a subsequent meeting. The Council recommend that the project may be sanctioned, the annual maintenance charge of Rs.200/- being debited to the funds of the Kalasa temple and the capital outlay being met as follows:--

$\frac{2}{3}$ from the temple funds.

$\frac{1}{3}$ from State funds.

No Advice Board 2 Kalasa is to pass to bear any portion of the Govt.

9. The recommendation of the Council may be accepted and the project sanctioned. The Kalasa temple can well bear its quota of the initial cost and the recurring charges, there being an accumulated surplus of Rs.1,64,500/- at the credit of the temple.

30.11.57 RO

Draft for approval
sd
29.11.57

Draft submission note.

The accompanying papers relate to the introduction of water supply to the town of Kalasa in the Mudagere Taluk.

2. Kalasa is a small town with a permanent resident population of only 300 souls but is frequented by a large floating population mostly of pilgrims to the temple of Sri Kalaseswara Swamy which enjoys a large amount of celebrity.

3. Scarcity of water particularly at the time of the Jatra which attracts a large number of devotees, has always been felt and so long ago as 1897 the question of water supply to this town was brought up for consideration. In view of the religious importance of the place, the Government were prepared to make a substantial contribution of Rs.5000/- from the temple funds and the Public Works Department was desired to investigate the project.

4. A project costing Rs.14,199/- was prepared by the Executive Engineer Kadur District, provision being made for constructing an anicut across a perennial stream, a filter bed and a storage

reservoir. The Civil Engineer also submitted two alternative projects prepared by Mr. V. Rangasamy Iyengar, one costing Rs.11,887/- following the Executive Engineer's proposal and omitting the reservoir as the water was to be supplied direct from the filter bed and the other costing Rs.12,925/- with an annual maintenance and depreciation charge of Rs.1,150/- for a pumping system.

5. As the project was considered too elaborate for such a small place, the Deputy Commissioner was requested to send up proposals for the construction of a few good wells at convenient centres. The latter was, however, of opinion that these wells ~~would~~ were likely to dry up in the hot season when water was most needed and recommended the adoption of the original project of the Executive Engineer omitting the filter bed and distribution pipes and thus reducing the cost further to Rs.6500/-.

6. The Executive Engineer to whom the project was once again referred was of opinion that an open channel for leading water will not be satisfactory as being liable to contamination and choking up and considered that an up-to-date project for a satisfactory supply was quite necessary. He has

accordingly sent up for sanction a revised project ~~covering~~ involving an initial outlay of Rs.23,000/-, the annual maintenance charges being estimated at Rs.200/-

7. The first Member who had visited Kalasa and investigated the question on the spot considers that the project may be approved and carried out at an early date.

8. The subject was considered in Council and the Council recommend that the project may be sanctioned, the annual maintenance charge of Rs.200/- being debited to the funds of the Kalasa temple and the capital outlay being met as follows:--

- ½ from the temple funds.
- ¼ from the District Funds, Kadur District.
- ¼ from State Funds.

9. The recommendation of the Council may be accepted and the project sanctioned. The Kalasa temple can well bear ~~the initial~~ and recurring charges, there being an accumulated surplus of Rs.1,64,500/- at the credit of the temple.

Draft for approval
sd
17.11.55

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Diary no 2276/12-C

Kala Sabhaiya, & other inhabitants of Kalasa, Mudigere Taluk, representing that the existing wells of the town all dry up in Summer, and praying for arrangements being ordered to supply water to the temple of Sri Kaladeswara Swamy of the place through taps from the Cave of Ané R which is about ½ a long N of the temple -

Ch

Secretary,

Submitted

Necessary for the Kalasa water work file.

S.T. 30.11.14

N.B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

CPB—50,000—29-C-14

GOVT. OF H H THE MAHARAJA
OF MYSORE.

GEN & REV SECRETARIAT.

OFFICIAL MEMORANDUM

No

The accompanying Petition Registered
No 2276/12-13 dated 16/6/13
received at the General and Revenue
Secretariat from Kalasabhaiya
& others inhabitants of
Kalasa town, Mudigere
Taluk. praying for
orders as to arrange-
ments being made to
get water supplied
to the temple of Sri
Kalaseshwara Swamy
of the place from the
cave of 'Ane Kane'
near by etc.

is forwarded, together with its enclosures,
to the Dy Commissioner
Kadur District

By Order,

Secretary to Govt.

BANGALORE,
... . 191 .

P. T. O.

GPB—1,000—9-8-13

ಅರ್ಜಿದಾರ್ ..... ತಾಲ್ಲೂಕು

..... ಹೋಬಳಿ

..... ಗ್ರಾಮದಲ್ಲಿರುವ

..... ಗೆ

ಇಂಡಾರ್ಸ್ಸ್ ಹುಕುಂ.

.....

.....

.....

.....

.....

~~ಮಾಡಲಾದ~~ಲ್ಲಿ ನೀವು ಗುಜರಾಯಿಸಿಕ್ಕೊಂಡ ..... 29-5-13 ಕ್ಕೆ

ಮುಕ್ತು ಮಿನೆ ಅರ್ಜಿಯನ್ನು ..... ಬಗ್ಗೆ

.....

..... ರವರ ಬಳಿಗೆ ಕಳುಹಿಸಿದೆ.

ಬೆಂಗಳೂರು,

.....191 .

By Order,

Secretary to Govt.

ಮಾನ್ಯರೇ,

ನಾನು ಈ ಕೆಳಗೆ ಸಹಿ ಮಾಡಿರುವ ಅಭ್ಯರ್ಥಿಯು ಕರ್ನಾಟಕ ಪೊಲೀಸ್ ಸೇವೆಗೆ ಆಯ್ಕೆಯಾಗಿದ್ದು, ಅವರ ಹೆಸರು ಮತ್ತು ಇತರ ವಿವರಗಳು ಈ ಕೆಳಕಂಡಂತಿವೆ.

ಅಭ್ಯರ್ಥಿಯ ಹೆಸರು ಮತ್ತು ವಿಳಾಸ :

ಅಭ್ಯರ್ಥಿಯ ಜನ್ಮ ದಿನಾಂಕ :

ಅಭ್ಯರ್ಥಿಯ ಜಾತಿ :

ಅಭ್ಯರ್ಥಿಯ ಪ್ರವರ್ಗ :

ಅಭ್ಯರ್ಥಿಯ ಲಿಂಗ :

ಅಭ್ಯರ್ಥಿಯ ಮಾಜಿ ಸೈನಿಕರ ಅಭ್ಯರ್ಥಿಯಾಗಿದ್ದಲ್ಲಿ ಅವರ ಸೇವಾ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಅಂಗವಿಕಲತೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಕನ್ನಡ ಮಾಧ್ಯಮ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಕ್ರೀಡಾ ಸಾಧನೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಎನ್.ಸಿ.ಸಿ. ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಗೃಹರಕ್ಷಕ ದಳದ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಅಗ್ನಿಶಾಮಕ ದಳದ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಕಾರಾಗೃಹ ಇಲಾಖೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಅರಣ್ಯ ಇಲಾಖೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಸಾರಿಗೆ ಇಲಾಖೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಅಬಕಾರಿ ಇಲಾಖೆಯ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಇತರೆ ವಿವರಗಳು :

ಅಭ್ಯರ್ಥಿಯ ಸಹಿ

ಅಧಿಕಾರಿಯ ಸಹಿ

G. R. S. 12]

General and Revenue Secretariat. | File No. | of 191

Serial No.

Kalasa Town Water Supply

Ref^ce - H.O ~~&~~ ^yce No. ~~183~~ P.W.D. dy 21.11.12 from the Ch! Engr.

So long ago as December 1897, (ie 15 years ago) Govt were pleased to order that they would make a grant of 5000 Rs from the Kalasa Temple funds towards the cost of the water supply to Kalasa Town.

The matter has been under correspondence since then, partly between Govt and the Chief Engr, and partly between the Dy Comr & the Govt. The preparation of Plans & Estimate for the work in the D.P.W. has taken 15 years.

The Executive Engineer, Water Supply & Drainage Division has subd an Estimate for Rs 25,000 for a regular water supply projects, while the Superintending Engineer Mr. V. Ranganatha Iyengar is of opinion that 2 wells in the Central part of the town which he says he has personally inspected (+ contains only one main sheet) at a cost of Rs 3000 each will suffice & that a water supply

NOTE—Contn. sheet.

Serial No.

at a cost of 25000 Rs for a small place like Kalasa a luxury.

The Dy: Ch: Engr now asks whether a moiety of this Estimate for a regular water Supply project viz Rs 12,500 can be sanctd from the Temple funds together with the annual maintenance charge of 200 Rs.

The Kalasa Temple has at its credit 195623 Rs of which a sum of Rs 1,32,187 has been invested in Govt Bonds; & it has in cash a sum of Rs 63,442.

Apart from the fact that the temple has a large amt at its credit, a portion of which is intended to be used for Educative purposes, it is not clear why, in view of there being only one occasion in a year when there will be a large gathering of people in the town, the temple should be made to contribute not only such a large amt for water supply to the town but also the whole of the maintenance

NOTE—Contn. sheet.

Serial No.

charges of Rs 200 a year.

The Hon'ble Supdt's attention is invited to the file of correspondence on the subject between Govt & Chief Engineer.

Mr McKay's ~~Estimate~~ project for Rs 14,199 was sub'd by the Chief Engr to Govt in July 1909. This having been sent to the Dy Comr, the latter's opinion ~~is~~ both as regards this project and Mr V. Rangasami Iyengar's idea of providing 2 wells for the town is contained in his letter No. 68 dd 13.8.09 a copy of which was sent to the Ch: Engr with letter No. 692/mt 120-09 dd 3.9.09 The Dy Comr thinks that "any project which necessitates the "employment of any costly and "professional establishment is "quite unsuited to the needs of "Kalasa". So he says that Mr V. Rangasami Iyengar's idea should be given up as impracticable & that Mr McKay's project could be modified so as to cost about Rs 6500

NKZ

NOTE—Contn. sheet.

Serial No.

Rs 1500, and the Ch: Engr was requested ~~in the Article~~ in the letter above cited to get a revised project prepared & forward the same to Govt in the Mun: Deptt.

Since the Govt have already promised Rs 5000/- from the Temple fund, I don't think the Mun: Deptt can promise more.

If approved the Ch: Engr may be requested to move Govt in the matter ~~of the subject of water Supply to Kalasa~~

BL
2/12/12

The Govt: have already passed definite orders in the question of a water Supply project. & have approved of the construction of a few wells. The present project is even more costly. The Dy Chief Engineer ~~reported to move~~ the Govt: in the matter. The present project appears to have been prepared with reference to the Secretary's

vide Q. O No 1256-8 dated 19-9-08

NOTE—Contn. sheet.

(F. R. S. 12)

General and Revenue Secretariat. | File No. of 191

Serial No.

Letter from Chief Engr. dated 3.4.03 and the Dy. Chief Engr. must have written in the matter & the Secretary to Govt. time forward the present reference & the Secy. to the Govt. to pursue proceedings. Land is decided by the Dy. ch. Engr.

he
1/to 4.13

Two drafts Sale for approval.

12/4.13.

NOTE—Contn. sheet.

G I P—65,000—17-6-12.

191 2/1/10

From

THE MUZRAI SUPERINTENDENT

IN MYSORE

To

The addg. Secretary to Govt

G.L. & REV Depts

Dated

Despatched 16-4-1913

Received

No 1141

Enclosure No one file

Sir,

I have the honor to forward herewith for favor of orders a project received by me from the P W Department for water-supply to Kalasa town in the Mudgere Tlk.

2) The submission of such a project has been called for from the Chief Engineer of Mysore in your letter No 692 MF 120-07 dy 3.9.1909.

I have &c.,

GPB—1,000—10 1942

12-4-13

12/4/13

191 Draft

From

THE MUZRAI SUPERINTENDENT

IN MYSORE.

To

The Chief Engineer
of Mysore.

Dated

Despatched 16 April 1914

Received

No. 114-

Enclosure No.

Sir,

With reference to your unofficial memo No. 186, P. W. D., 21st Nov. 1912, forwarding for an expression of my opinion in the matter of water-supply to Kolar town, I have the honor to state that the entire project has this day been submitted by me. ~~for~~ to Govt. for ~~favour of~~ orders and that the papers will be returned to you early.

I have &c.,

Dd/ [illegible]
Muz. S

GPB—1,000-10-12

12/4/13

No. 1558
Date. 26-2-1913.

1913

From

The Chief Engineer of Mysore,

To

The Superintendent,

Muzrai Department.

Dated Bangalore, 25th February 1913.

Despatched

Received

General No. 1677.

No.

Enclosure No.

Sir,

I have the honour to invite your attention to the communication noted in the margin and to request the favour of very early return of the project papers therewith forwarded.

questing to state whether moiety of the capital outlay and the whole of the annual maintenance charges of Rs 200 re water supply to Kalsa town, will be contributed out of the temple funds.

I have the honour to be,

Sir,

Your most obedient servant,

Deputy Chief Engineer,

Mysore P.W.D.

V.N.S.

GPB—50,000—26-9-12

P(3)

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

Registrar's remarks on the receipt = D.N°. 17388/20.4.11

"Why delay".

In regard to the subject matter of the letter, it is stated that the Ch. Engr. a project called for in this office letter N°. 6928/3.9.09 has not yet been received and no reminders seems to have been issued thus till now.

An urgent reminder is put up for signature.

RK 8/4

Issue RN. 20.4.11.

N B—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—35,000—21-4-09

F. 6361
D 1738

R. D.
e/f Rd

1900-11.
MWR

From

The Deputy Commissioner,
Kadur District, Chikmagalur

To

The Offg Secy to the Govt. of Mysore,
Genl & Rev Depts, Bangalore.

Dated 3rd April 1911
Despatched 4th "
Received

General No. 380
No.

Enclosure No. nil.

Requesting early orders in the matter of Water supply to Kallasa village in the Mudigere Taluk.

RK

Office of the Deputy Commissioner,
Kadur District, Chikmagalur.
Dated the 3rd April 1911.

From

K. R. Srinivasiengar Esquire, M.A.,
Deputy Commissioner, Kadur District.

To

C. S. Balasundaram Iyer Esquire, B.A.,
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

I have the honor to invite your kind reference to this office letter No. 68 dated 16th August 1909 regarding the water-supply for the village of Kalasa in the Mudigere Taluk and to request that early orders may be kindly obtained and communicated to me in the matter.

I have the honor to be
Sir,
Your most obedient Servant,
I. Chakrapani Iyer
Treasury Assistant Commissioner
for Deputy Commissioner,
Kadur District.

F 11

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record]

Mr Ganapati Iyer

Please to let me know the Diary no and the file No corresponding to Letter no 68 dated 16th Aug 1909 from the Dy Comm Kaira referred to within

KP
12/4/11

The letter belongs to the old diaries which are in my table - Please look up yourself - I am busy with the preparation of the monthly arrear list which has to be sent by tomorrow.

Submitted to the Supdt

Supdt. KS 13/4/11

N B—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form

GPB—35,000—21-4-09

P(2) D No 6361.

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record]

The General Despatcher

Kindly state to what branch Letter no 68 dated 16th Aug 1909 from the Deputy Commissioner Khadur referred to in the accompanying Communication was sent for disposal, if it was received in this Secretariat

K.P. Dey
15.4.11.

Submd
This has been referred to Br VII on 1908–09 as suggested by Br VII.

Lad
18/4/11

Comm
~~May this also be therefore~~
Supt Br VII
May the present comm which is a reminder to the former one be also transferred to Br VII

K.P. Dey
18/4/11

20/4

19-4-11

P.T.

N. B.—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form

G.P.O.—30,000—23-2-11

No. 2982 1079

MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE.

Bangalore, 15th April *191* 2.

DIARY No. 1809

From

M. VISVESVARAYA, ESQ., M.I.C.E., C.I.E.,
Chief Engineer of Mysore,
Bangalore.

To

C. S. Balasundaram Iyer, Esq., B.A.,
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

With reference to this office No. 92 of the 4th January 1912 stating that a scheme for the Water Supply to Kalasa is awaited from the Executive Engineer, Kadur Division, I have the honour to inform you that two alternative estimates for constructing 2 reservoirs, one at a site about 5 furlongs and the other about 900 feet from the temple, have since been received and are under scrutiny in the Superintending Engineer's office. They will be forwarded on receipt.

I have the honour to be,
Sir,
Your most obedient servant,

Deputy Chief Engineer,
Mysore P.

T.N.A.

1912.

MYSORE P. W. DEPARTMENT.

No. 2982

From

THE CHIEF ENGINEER OF MYSORE,
Bangalore.

To The Secretary to Government
General & Revenue
Bangalore

Dated Bangalore, 15th April 1912.

Despatched

Enclosure No.

SUBJECT.

In re a Scheme for
Supply to Kalasa.

GPB—2,000—4-8-11

807
27/11

G.R.S. 29A]

19

From

Secy. to the Govt. of His Highness
The Maharaja of Mysore,
Genl. and Rev.Dept.

To

The Chief Engineer in
Mysore -

Dated

Despatched 28- 4--1911

Received

General No. 1228

Genl No. 170-07

Enclosure No. 2

In continuation of this office no 692/Mis 120-01 dt 3-9-09 forwarding a copy of ~~the Dy Com~~ a letter from the Dy Comr, Kadur in the matter of Supplying drinking water to Kalasa in the Mudgere Taluk & requesting the submission of revised project ~~in the matter~~ if the Dy Comr's proposal commends itself to him, has the honour to forward herewith copy of letter no 1769/11/13 dt 11-11 from the Dy Comr, Kadur with its enclosure (in original) & to request him to be so good as to expedite the submission of the revised

G.P.B.—20,000—24-10-10.

project.

By order

For offg. Secretary

25/11/14

ADM
Cgl (139)
24/11/14

Transferred to Bn. VII

17.11.11

Continue note

21/11/11

Diary No. 807

1911-12

1911-12

From
The Deputy Commissioner
Kadur District, Chikmagalur

To
The Hig Sec to the Govt of Mysore,
Govt Rev Depttt, Bangalore.

Date 11th
Despatched 2 November 191
Received
General No.
No.

Endorsement No. 1

Submitting for early orders a petition from the people of Kalasa [illegible]

Office of the Deputy Commissioner, Kadur District,

Dated the 11th November 1911.

From

K.R.Srinivasiengar Esquire, M.A.,
Deputy Commissioner, Kadur District.



To

C.S.Balasundaram Iyer Esquire, b.A.,
Offg. Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments, Bangalore,

Sir,

In continuation of this office letter No.380 dated 4th April 1911, I have the honor to forward herewith, for favour of perusal and orders, petition dated 14th October 1911 received from the inhabitants of Kalasa requesting that early orders may be passed in the matter of supplying drinking water to the town by means of pipes. It is ascertained that Mr.V.Rangaswamy Iyengar, Superintending Engineer visited Kalasa some months back when he was in charge of the Division and made a study of the local conditions in connection with the water supply of the place.

I have the honor to be,
Sir,
Your most obedient servant,

S. Chakrapani Iyer

Treasury Assistant Commissioner,
For Deputy Commissioner,
Kadur District.

Reminder

G. R. S. 26]

Mug File No. 120-07
Serial No. ~~27~~

Diary No. of letter replied to

Kour Karaja

No. 2015

General and Revenue Secretariat
(Mug)
, *the* 191

To
The Deputy Comr, Kadur District.

Date of issue 19.3.1915

Signed by Wolf Headamundayya

Sir,

I am directed to invite your attention to this office letter no. 1841-2 of 19-2-15 calling for ~~certain~~ information in connection with the ~~question of~~ water-supply scheme to the Kalasa town in the Mudigere Taluk, and to request a very early reply in the matter. ~~that the same may be furnished at a very early date.~~

Regarding the balance at the credit of the Kalasa Temple & its annual net earnings

I have etc
Illegible
18/3/15
For Secretary

~~over~~

13/3/15

SUBJECT.

ab
17/3

List of enclosures,

Copied by

Examined by

GPB—25,000—4-3-13



1907-08

From The President
District Board
Kadur [illegible]

To The Secretary to Government
General and Revenue Dept
Bangalore

Dated 4th January 1908

Despatched 4th January 1908

Received

General No. 291
No.

Enclosure No.

Requesting early orders on this office reference no 129 dated 8th September 1907 re Watersupply project to Kalasa

6807

Forwarded to the Mysore Secretary in continuation

8.0.

17.1.08

From

D 4842

B J Kumaraswami Naik Esqr BA

President, District Board

Kadur District

To

C S. Balasundaram Aiyar Esqr BA

Offg Secretary to Government

General and Revenue Dept

Bangalore

Dated Chikmagalur 4th January 1908

Sir,

In inviting attention to my letter no: 129 of the 8th September 1907 soliciting sanction from the Muzrai funds a sum of Rs 9199/- in connection with the watersupply project to Kalasa, I have the honor to request early orders, as the Executive Engineer states that the Superintending Engineer is urging in the matter.

I have the honor to be,

Sir,

Your most obedient Servant

President

District Board



1913-14

From The President
District Board
Kadur District -

To The Secretary to the Govern
ment of His Highness the Maharaja
of Mysore General and
Revenue Department
Bangalore

Dated 30th 1st April

Despatched March 1914

Received

General No. 458
No.

Enclosure No. 3

Forwarding petition of Kalsa
villagers praying for the
early sanction of the Water
Supply project of Kalsa now
before Government

GPB—50,000—8-1-13

Office of the President,

District Board,

Dated, Chickmagalur, 30th March 1914.

From

K.Krishna Iyer Esquire,

President, District Board,

Kadur District.

To D 5626

K.R.Sreenivasa Iyengar Esquire, M.A.

Secretary to Government, General and Revenue,

Departments in Mysore. Bangalore,

Sir,

In continuation of this office letter No. 176 dated 11-11-1911, I have the honor to submit herewith for the early orders of Government the petition received from the residents of Kalasa Village in Mudigere Taluk praying that drinking water may be supplied to their village by means of pipes.

2. In this connection, I herein enclose a copy of docket No. 4142 dated 20-5-1913 received from the Chief Engineer in Mysore and to state that the 1st Councillor visited Kalasa - on 30-5-1913.

I have the honor to be,

Sir,

Your most obedient Servant,

President, District Board,

Kadur District.

C.M.K

Mysore Public Works Department.

Central Office,

Bangalore, 20th May 1913 ....

From

The Chief Engineer of Mysore,

Bangalore.

To

The Superintending Engineer,

Southern Circle.

No. 4141

Superintending Engineer's letter No. 7734 dated the 21st October 1912 submitting alternative projects for providing water supply to the town of Kalasa in the Mudigere Taluk.

****

In returning the projects received with the above, has the honor to inform the Suprintending Engineer that Government direct that the question may lie over for the present, till the Dewan or the 1st Councillor can see the place and decide what further action may be taken in the matter. Vide General Secretary's letter No. 1971/Muz.F. 120-07-20 dated the 9th May 1913 (copy enclosed).

SD/ K.Krishna Iyengar

Deputy Chief Engineer of Mysore.

No. 4142 Dated, Bangalore, the 20th May 1913.

Copy of the above (with a copy of General and Revenue Secretary's letter referred to) is forwarded to the Deputy Commission Kadur District, for information.

SD/ K.Krishna Iyengar

Deputy Chief Engineer of Mysore.

" C O P Y "

President, District Board,

C.M.K

Kadur District.

Letter No. 1971/Muz. F. 120-07-20 dated the 9th May 1913 from the Secretary to Government , General and Revenue Departments , to the Chief Engineer of Mysore, Bangalore.

****

In returning herewith the project received in this Office through the Muzrai Superintendent in the matter of -- Water supply to the town of Kalasa in the Mudigere Taluk I am directed to state that it may lie over for the present --- till the Dewan or the 1st Councillor can see the place an decide as to what further action may be taken in the matte

----

" True Copy "

SD/ N.P.Subramanaiya Iyer
Assistant Secretary,
Public Works Department.

(" Copy ")

for Executive Engineer
District Boards
Kadur District

OK P

18/3/14

Kuch

Will

ಸಂಪಾದಕರಿಗೆ ನಮಸ್ಕಾರಗಳು

ಸಂಪಾದಕರಿಗೆ ನಮಸ್ಕಾರಗಳು

ರಾಮಕೃಷ್ಣ

9481

G.R.S. 45]

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

GENERAL AND REVENUE DEPARTMENT.

No. 1415, dated the 23/12/1901.

Mur 120-07

(Mur 120-07)

To

The Chief Engineer of Mysore

SUBJECT.

calls for a revised project for the water supply to Kalasa.

OFFICE MEMORANDUM.

The undersigned is directed to invite attention to the marginally noted communication and to request that the General and Revenue Secretariat may be informed, in the column opposite, of the cause of delay in furnishing a reply and of the approximate date on which a reply may be expected.

*No. 692, dated 3/9/02

Mur 120-07

He is also to request that the General and Revenue Secretariat may be favored with a reply to this reminder not later than the

Bogosday

for Secretary

Previous reminder

REPLY.

No. 92, dated the 4/1/1902..

Mur DIV- 1004

To

The Secretary to the Government of H. H. the Maharaja of Mysore, General and Revenue Depts.

A water supply scheme based on the inspection note of Mr. V. Rungasawmy Iyengar has been called for from the Executive Engineer and the same will be sent up to Government on receipt.

Deputy Chief Engineer,

Mysore, P. W. D.

file amid correspondence

6/1/12

GPB—2000—23-5-02

1901

RECD No 2951

[G.R.S. 45]

VII 15 Nov. 1824

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

GENERAL AND REVENUE DEPARTMENT.

No. , dated the April 1961

(Murzai)

REPLY.

No. 3621, dated the 28th April 1961

To

The Chief Engineer of Mysore.

To

The Secretary to the Government of H. H. the Maharaja of Mysore, General and Revenue Dept.

SUBJECT.

Enquires if the Minister for Cours proposal in the matter of the water-supply to Kalasa in the Mudigere Taluk is agreeable to him and if so requests the submission of a revised project for the same

OFFICE MEMORANDUM.

The undersigned is directed to invite attention to the marginally noted *No. 692, dated 3.9.60 communication and to request that the General and Revenue Secretariat may be informed, in the column opposit, of the cause of delay in furnishing a reply and of the approximate date on which a reply may be expected.

He is also to request that the General and Revenue Secretariat may be favoured with a reply to this reminder not later than the 30th instan

By order

Section Officer.

Previous reminder.

The Executive Engineer, Kadur Division, has been directed to investigate the project and it will be some time before he is able to complete it.

Deputy Chief Engineer,

Mysore P.W. Department.

28.4.61

GPB—12,000—9-4 06.

G.R.S. 45]

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

GENERAL AND REVENUE DEPARTMENT

No. . *dated the* *190*

( )

To

The chief Engineer
in Mysore

SUBJECT.

Enquires if the Shimoga Dy Comr's proposal in the matter of water-supply to Kalasa in the Mudgere Taluk, is agreeable to him and, if so, requests the submission of a revised project for the same

OFFICE MEMORANDUM.

The undersigned is directed to invite attention to the marginally noted communication and to request that the General and Revenue Secretariat may be informed, in the column opposite, of the cause of delay in furnishing a reply and of the approximate date on which a reply may be expected.

*No. 692, dated 3-9-09

He is also to request that the General and Revenue Secretariat may be favoured with a reply to this reminder at a very early ~~order~~ date

By order

For the Secretary

Previous reminder

REPLY.

No. *dated the* *190*

To

The Secretary to the Government of H. H. the Maharaja of Mysore, General and Revenue Dept.

2710 & 22-4-11.

GPB—12,000—9-4 06.

(C.S. 72]

File No 1207

Serial No.

Sus. Regr. No ~~287~~ 55

Shall a Reminder issue to the

chief Engr of Mysore

for a reply to this Office No. 692 , dated the

3d Septr 09.

Subject.

Inquiring if the Dy Commrs. proposal in the matter of the water-supply to Kalasa is agreeable to him and if no, requests the submn of a revised project.

Reminders.

No.	Date.	
2710	22-4-11.	
1415	23-12-11.	

G PB—1,000—27-5-08

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record]

MW3 120-07

D 807.

From the Dy Comr, Kadur
No. 17 6 a, 11/13-11-11.

Submits for ~~order~~ orders a petition from the people of Kalasa in the matter of water supply to the village.

A revised project is due from the chief Engineer in the matter. It is more than 2 years since this was called for in reply to a reminder from this office (d 22-4-11) the chief Engineer has intimated that the Executive Engineer has been directed to investigate the project & that 'it will be some time before he is able to complete it' The Dy Comr now states that Mr. V Rangaswamy Iyengar Superintending Engineer visited Kalasa some months back & made a study of the local conditions.

submitted for orders with a ~~reminder~~ draft forwarding copy of the letter with enclosure to ch.

Copy (139) 24/11/11

25/11/11

Time 8/12.

N B—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—30,000—23-2-11

G.R.S. 13]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record]

N B—Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

GPB—30,000—28-2-11

G R S. 13]

D5626.

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

[illegible] letter
[illegible] dated 30th March 14
[illegible] Water Supply to
[illegible]

As the previous papers referred to in the paper under disposal have been dealt with in the Mussaic Branch ~~this~~ may be transferred to that branch for needful action

K.P.S
3.4.14

Submit to Regr for orders.
BM

Subd. to Registrar).
To Branch VII

BM.
8/4

Answer
15/5

N.B.—Should routine notes be written on small slips the notes must be copied, or slips pasted on this form.

GPB—20,000—23 12-13

Water Supply & Stores Division.

Modified General Abstract estimate of Water Supply to

Kalasa Water Supply.

tem No.	Item of Work.	Amount.
1	Cost of constructing a Reservoir in Valley crossing Kolegihar Kalasa Road in $\frac{2}{27}$ mile as per Kadur Division Executive Engineer's estimate including the cost of constructing a sluice	Rs.8304
2	Acquiring 8 acres of wet and coffee land to avoid cultivation for the above Reservoir	600
3	Cost of Delivery main as per original estimate	7565
4	Cost of constructing Storage Reservoir to hold about 15,000 Gallons	3000
	Total Rupees	19469
	Supervision charges at 17½ per cent ..	3407
	Unforeseen charges	624
	Grand Total Rupees	23500